Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the instant application:

Listing of Claims:

 (Currently Amended) A method for concealing displayed confidential information comprising the steps of:

providing a system including at least one publically accessible display for displaying confidential information supplied by a user and at least one private display for displaying the confidential information displayed by the publically accessible display, wherein the private display is accessible only to authorized personnel, wherein the at least one publically accessible display and at least one private display are connected through a network;

receiving <u>the</u> confidential information <u>supplied by the user</u> from an input device connected to the publically accessible display;

displaying at least a portion of the confidential information at the private display;

displaying at least a portion of the confidential information at the publically accessible display for a predetermined time period, wherein the publically accessible display is configured to display the confidential information to only a view from within a predetermined viewing angle and a predetermined distance to the publically accessible display:

displaying the confidential information at the private display; and

concealing the portion of the confidential information displayed at the publically accessible display upon expiration of the predetermined time period or upon a user request quest, the concealing step including at least one of:

removing the confidential information from the publically accessible display;

Appln. No. 10/670,678 Response dated September 10, 2009 Reply to Office Action of June 10, 2009 Docket No. BOC9-2003-0004 (373)

covering the confidential information; and

presenting the information in a nonsensical format;

sending a notification signal to the authorized personnel indicating that the user is present; and

storing at least a portion of the confidential information.

- (Cancelled).
- 3. (Currently Amended) The method according to claim [[2]] 1, wherein said notification signal is sent to a health care professional.
- 4-10. (Cancelled).
- 11. (Currently Amended) A system for concealing displayed confidential information comprising:

at least one publically accessible display for displaying confidential information supplied by a user;

at least one private display for displaying the confidential information displayed by the publically accessible display, wherein the private display is accessible only to authorized personnel, wherein the at least one publically accessible display and at least one private display are connected through a network;

an input system <u>device</u> for receiving <u>the</u> confidential information <u>from the user</u>, the input device being connected to the publically accessible display;

a device for <u>sending a notification signal to the authorized personnel indicating</u> that the user is present; and

a data store for storing at least a portion of the confidential information:

a first display communicably coupled to said input system for displaying at least a portion of the confidential information for a predetermined time period, wherein the first

Appln. No. 10/670,678 Response dated September 10, 2009 Reply to Office Action of June 10, 2009

Docket No. BOC9-2003-0004 (373)

display is configured to display the confidential information to only a view from within a predetermined viewing angle and a predetermined distance to the first display:

a second display communicably coupled to said input system for displaying at least a portion of the confidential information; and

wherein at least said first display is configured to conceal at least a portion of the confidential information upon expiration of the predetermined time period or upon a user request, the confidential information is concealed by at least one of removing the confidential information from the publically accessible display, covering the confidential information, and presenting the information in a nonsensical format

wherein the confidential information is displayed at the publically accessible display for a predetermined time period;

wherein the publically accessible display is configured to display the confidential information to only a view from within a predetermined viewing angle and a predetermined distance to the publically accessible display;

wherein the confidential information displayed at the publically accessible display is concealed upon expiration of the predetermined time period or upon a user request;

wherein the confidential information is concealed by at least one of removing the confidential information from the publically accessible display, covering the confidential information, and presenting the information in a nonsensical format.

12. (Cancelled).

13. (Original) The system according to claim 11, further comprising at least one wireless transceiver for at least one of sending and receiving at least a portion of the confidential information.

- 14. (Currently Amended) The system according the claim 11, further comprising a housing for supporting said input system device and said first publically accessible display, wherein said seeond private display is remotely located from said housing.
- 15. (Currently Amended) A machine readable storage, having stored thereon a computer program having a plurality of code sections executable by a machine for causing the machine to perform the steps of:

providing a system including at least one publically accessible display for displaying confidential information supplied by a user and at least one private display for displaying the confidential information displayed by the publically accessible display, wherein the private display is accessible only to authorized personnel, wherein the at least one publically accessible display and at least one private display are connected through a network;

receiving the confidential information supplied by the user from an input device connected to the publically accessible display;

displaying at least a portion of the confidential information at the private display;

displaying at least a portion of the confidential information at the publically accessible display for a predetermined time period, wherein the publically accessible display is configured to display the confidential information to only a view from within a predetermined viewing angle and a predetermined distance to the publically accessible display;

displaying the confidential information at the private display; and

concealing the portion of the confidential information displayed at the publically accessible display upon expiration of the predetermined time period or upon a user request quest, the concealing step including at least one of:

removing the confidential information from the publically accessible display;

covering the confidential information; and

Appln. No. 10/670,678 Response dated September 10, 2009 Reply to Office Action of June 10, 2009 Docket No. BOC9-2003-0004 (373)

presenting the information in a nonsensical format:

sending a notification signal to the authorized personnel indicating that the user is present; and

storing at least a portion of the confidential information.

16. (Currently Amended) The machine-readable storage of claim 15, further comprising:

 $\frac{\text{sending-a-notification-signal,}}{\text{sending-a-notification-signal}}, \text{ wherein said notification signal is sent to a health care professional.}$

17-22. (Cancelled).